



Front Wall










for Container Shelter
99084F (W12xL6xH3.9m)
with W4xH4m Roll-up Door
on 40'GP(2.6m) container
Assembly Instructions



RECOMMENDED TOOLS



Equipment List

<p>Speed Wrench 22#.23#.24#</p>	
<p>Hammer (30lb)</p>	
<p>Rope (12#)</p>	
<p>Long Tape (50m)</p>	
<p>Hammer Drill*1</p>	
<p>Lifter*2</p>	
<p>Crane*1</p>	
<p>Forklift*1</p>	
<p>Protective equipment</p>	

YOU MUST READ THIS DOCUMENT BEFORE YOU BEGIN TO ASSEMBLE THE SHELTER.

Thank you for purchasing our shelter. When properly assembled and maintained, this product will provide years of reliable service. These instructions include helpful hints and important information needed to safely assemble and properly maintain the shelter. Please read these instructions **before** you begin.

If you have any questions during the assembly, please contact local dealer for assistance.

SAFETY PRECAUTIONS

- . Wear eye protection.
- . Wear head protection
- . Wear gloves when handling metal tubes
- . Use a portable GFCI (Ground Fault Circuit Interrupter) when working with power tools and cords.
- . Do not climb on the shelter or framing during or after construction.
- . Do not occupy the shelter during high winds, tornadoes, or hurricanes.
- . Provide adequate ventilation if the structure is enclosed.
- . Do not store hazardous materials in the shelter.
- . Provide proper ingress and egress to prevent entrapment.

ANCHORING INSTRUCTIONS

Prior to assembling this shelter, please read the **MUST READ** document included with the shipment.

⚠ WARNING: The anchor assembly is an integral part of the shelter construction. Improper anchoring may cause shelter instability and failure of the structure. Failing to anchor the shelter properly **will void the manufacturer's warranty** and may cause serious injury and damage.

LOCATION

Choosing the proper location is an important step before you begin to assemble the structure.

The following suggestions and precautions will help you determine whether your selected location is the best location.

- . Never erect the structure under power lines.
- . Identify whether underground cables and pipes are present **before** preparing the site or anchoring the structure.
- . Location should be away from structures that could cause snow to drift on or around the building
- . Do not position the shelter where large loads such as snow and ice, large tree branches, or other overhead obstacles could fall.
- . Your shelter's cover can be quickly removed and stored prior to severe weather conditions. If strong winds or severe weather is forecast in your area, we recommend removal of cover.

SITE

After choosing a location, proper preparation of the site is essential. The following site characteristics will help ensure the integrity of the structure.



















- . The support structure must be level to properly and safely erect and anchor the frame.
- . Drainage: Water draining off the structure and from areas surrounding the site should drain away from the site to prevent damage to the site, the structure, and contents of the structure.

⚠ WARNING: The individuals assembling this structure are responsible for designing and furnishing all temporary bracing, shoring and support needed during the assembly process. For safety reasons, those who are not familiar with recognized construction methods and techniques **must seek the help of a qualified contractor.**


Front Wall for Container Shelter 99084F (W12xL6xH3.9m)

with W4xH4m Roll-Up Door on 40'GP(2.6m)


Parts List

Part Code	Description	Qty/ PCS
46	Portal for front wall 	4
47	Portal for front wall 	2
48	Portal for front wall 	2
49	Portal for front wall 	2
50	Rail for front wall 	2
51	Rail for front wall 	4
52	Rail for front wall 	2
53	Rail for front wall 	2
54	Rail for front wall 	4
55	Cross Beam for front wall 	1 set
56	Vertical Tube for cross beam 	1
57	Door Bracing Tube (2pcs/set) 	1 set
58	Base Plate for front wall 	2
59	Base Plate for front wall 	2
60	Square Tube for front wall 	2
61	Angle Seat 	1
62	Tube Clip 	10
63	Bolt M10x30 	12


FRAME INSTALLATION (roll-up door clearance: W4xH4m)



FRAME INSTALLATION (roll-up door clearance:W4xH4m)



COVER INSTALLATION



Now your installation is completed.